Subject index of volume 120

Accumbens 433
Acetylcholine 142, 491
Acoustic startle reflex 117
ACTH 356, 449
Active metabolite 169
Activity 117
Acute and chronic treatments 57
α_2Adrenoceptor 311, 322
Aged rats 409
Aging 356
5-HT_{1A}agonists 376
Alcohol avoidance 21
Alcohol intake 177, 227
Alcohol preference 21
Alcohol-induced analgesia 21
Alcohol-preferring rats 177, 227
Alprazolam 109
Ambulation 75
Amitriptyline 109
AMPA/kainate 49
Anesthesia 426
Antidepressant-like effects 400
Antidepressants 109, 333
Antinociception 21, 483
Antipredator defense 57
Antipsychotic agents 67
Antipsychotic drugs 128, 365
Anxiety 57, 186, 220
Apomorphine 376
Attention 99, 142, 209
Atypical neuroleptic 249
Aversion 470
Basal forebrain 99
BC 264 400
Behavioral economics 1, 341
Benzodiazepine 311, 322
Benzodiazepine receptor 99
Benzodiazepines 109, 186
Bromocriptine 369
Brotizolam 237
Caffeine 457
Catalepsy 128
β-CCM 99
Ceruletide 75
CGP 39551 49
Chlordiazepoxide 99
Cholecystokinin (CCK) 156
Cholecystokinin-like decapeptide 75
Cigarettes 289
Cirrhosis 220
Classical discrimination conditioning 162
Clonidine 384
Clozapine 249
Cocaethylene 150
Cocaine 10, 93, 150, 162, 296, 392, 442
Cognition 169, 256, 409
Cognitive 322
Cognitive pharmacologic modeling 280
Conditioned place preference 28
Conditioned preference 457
Conditioned reinforcement 42
Conditioned suppression of motility 400
Conditioning 42
Cortisol 356, 449
CPP 392
Craving 289, 418
Cue 272
Cyclic alternating pattern 237
D_4 dopamine receptor 365
DAMGO 195
Decision time 209
Delayed-matching 256
Delta 195
delta 347
Delta opioid receptor antagonists 177
Demand 1
2-Deoxyglucose 267
Depressive disorder 109
Dexfenfluramine 134
5,7-Dichlorokynurenic acid 463
5,7-Dihydroxytryptamine 213
Discriminative stimulus 384
Distractibility 142
Dopamine 10, 67, 75, 117, 150, 156, 303, 333, 433, 475
Dopamine D_2 agonists 369
Dorsal hippocampus 203
DPAG 470
DPDPE 195
Drug discrimination 272, 303, 384, 483, 491
Drug taper 109
(–)-DS 121 93
EEG 426
Electroconvulsive shock 333
Electrophysiology and striatal neuron 369
Elevated plus maze 470
Endogenous benzodiazepines 220, 449
Endogenous opiates 347
Enkephalin-degrading enzymes 400
Escape 470
Ethanol 1, 28, 272, 475
Ethanol tolerance 49
Executive function 311
Extrapyramidal side effects 128
Fear 57
Five-choice serial reaction time task 142
Flight 57
Flumazenil 220
Fluoxetine 57
Food choice 457
Food deprivation 267
Fos 392
Frontal cortex 311
Frontal lobe 322
$GABA_A$-receptor complex 449
Gamma-aminobutyric acid (GABA) 244
Geriatrics 280
Glutamate 433
Habituation 21, 28
Haloperidol 75, 475
Heart rate 162
Heroin self-administration 134
Hippocampus 244
5-HT receptor subtypes 134
5-HT reuptake inhibitors 57
Human growth hormone 449
Humans 42
5-hydroxytryptamine 213
Hypothermia 483
ICI 174864 177
Idazoxan 384
Imipramine 57
In situ hybridisation 333
Income 1
Information processing 209
Inhibition 162
Insomnia 237
Insulin 267
Interval bisection procedure 213
Intracranial self-stimulation 195
Intravenous injection 369
Ipsapirone 356
Kelatorphan 347
Key pecking 303
Kynurenic acid 463
L-364,718 400
L-365,260 400
Learning 272, 409
Learning and memory 256
Learning versus performance 162
Lever pressing 81
Lick rhythm 249
Locomotor activity 28, 392, 475, 483
Lorazepam 109
LSD; α_2-Adrenoceptor 384
LY326325 49
Male rat 463
m-Chlorophenylpiperazine 280
mCPP 376
Median raphe nucleus 244
Memory 169, 220, 272, 409, 426
Metergoline 134
Methamphetamine 303
Methamphetamine sensitization 75
Mianserin 491
Mice 28, 49, 475
Microdialysis 10
Microiontophoresis 369
MK-801 49
Monkey 256
Mood 457
Morris water maze 409
Motivation 267
Motor deficiencies 186
Mouse 75
Mu 195
mu 347
Muscarinic receptor antagonist 409
Muscarinic receptors 142, 491
Muscimol hydrobromide 244
Naloxone 418
Naltrexone 418
Naltrindole 177, 442
NBQX 49
Negative reinforcement 457
Neuropeptice Y 267
Neuropeptide receptors 347
Nicotine 209, 256, 341, 418
Nicotine ABT-418 483
Nicotinic acetylcholine receptors (nAChRs) 256

Subject index of volume 120

Accumbens 433
Acetylcholine 142, 491
Acoustic startle reflex 117
ACTH 356, 449
Active metabolite 169
Activity 117
Acute and chronic treatments 57
α_2Adrenoceptor 311, 322
Aged rats 409
Aging 356
5-HT_{1A}agonists 376
Alcohol avoidance 21
Alcohol intake 177, 227
Alcohol preference 21
Alcohol-induced analgesia 21
Alcohol-preferring rats 177, 227
Alprazolam 109
Ambulation 75
Amitriptyline 109
AMPA/kainate 49
Anesthesia 426
Antidepressant-like effects 400
Antidepressants 109, 333
Antinociception 21, 483
Antipredator defense 57
Antipsychotic agents 67
Antipsychotic drugs 128, 365
Anxiety 57, 186, 220
Apomorphine 376
Attention 99, 142, 209
Atypical neuroleptic 249
Aversion 470
Basal forebrain 99
BC 264 400
Behavioral economics 1, 341
Benzodiazepine 311, 322
Benzodiazepine receptor 99
Benzodiazepines 109, 186
Bromocriptine 369
Brotizolam 237
Caffeine 457
Catalepsy 128
β-CCM 99
Ceruletide 75
CGP 39551 49
Chlordiazepoxide 99
Cholecystokinin (CCK) 156
Cholecystokinin-like decapeptide 75
Cigarettes 289
Cirrhosis 220
Classical discrimination conditioning 162
Clonidine 384
Clozapine 249
Cocaethylene 150
Cocaine 10, 93, 150, 162, 296, 392, 442
Cognition 169, 256, 409
Cognitive 322
Cognitive pharmacologic modeling 280
Conditioned place preference 28
Conditioned preference 457
Conditioned reinforcement 42
Conditioned suppression of motility 400
Conditioning 42
Cortisol 356, 449
CPP 392
Craving 289, 418
Cue 272
Cyclic alternating pattern 237
D_4 dopamine receptor 365
DAMGO 195
Decision time 209
Delayed-matching 256
Delta 195
delta 347
Delta opioid receptor antagonists 177
Demand 1
2-Deoxyglucose 267
Depressive disorder 109
Dexfenfluramine 134
5,7-Dichlorokynurenic acid 463
5,7-Dihydroxytryptamine 213
Discriminative stimulus 384
Distractibility 142
Dopamine 10, 67, 75, 117, 150, 156, 303, 333, 433, 475
Dopamine D_2 agonists 369
Dorsal hippocampus 203
DPAG 470
DPDPE 195
Drug discrimination 272, 303, 384, 483, 491
Drug taper 109
(–)-DS 121 93
EEG 426
Electroconvulsive shock 333
Electrophysiology and striatal neuron 369
Elevated plus maze 470
Endogenous benzodiazepines 220, 449
Endogenous opiates 347
Enkephalin-degrading enzymes 400
Escape 470
Ethanol 1, 28, 272, 475
Ethanol tolerance 49
Executive function 311
Extrapyramidal side effects 128
Fear 57
Five-choice serial reaction time task 142
Flight 57
Flumazenil 220
Fluoxetine 57
Food choice 457
Food deprivation 267
Fos 392
Frontal cortex 311
Frontal lobe 322
$GABA_A$-receptor complex 449
Gamma-aminobutyric acid (GABA) 244
Geriatrics 280
Glutamate 433
Habituation 21, 28
Haloperidol 75, 475
Heart rate 162
Heroin self-administration 134
Hippocampus 244
5-HT receptor subtypes 134
5-HT reuptake inhibitors 57
Human growth hormone 449
Humans 42
5-hydroxytryptamine 213
Hypothermia 483
ICI 174864 177
Idazoxan 384
Imipramine 57
In situ hybridisation 333
Income 1
Information processing 209
Inhibition 162
Insomnia 237
Insulin 267
Interval bisection procedure 213
Intracranial self-stimulation 195
Intravenous injection 369
Ipsapirone 356
Kelatorphan 347
Key pecking 303
Kynurenic acid 463
L-364,718 400
L-365,260 400
Learning 272, 409
Learning and memory 256
Learning versus performance 162
Lever pressing 81
Lick rhythm 249
Locomotor activity 28, 392, 475, 483
Lorazepam 109
LSD; α_2-Adrenoceptor 384
LY326325 49
Male rat 463
m-Chlorophenylpiperazine 280
mCPP 376
Median raphe nucleus 244
Memory 169, 220, 272, 409, 426
Metergoline 134
Methamphetamine 303
Methamphetamine sensitization 75
Mianserin 491
Mice 28, 49, 475
Microdialysis 10
Microiontophoresis 369
MK-801 49
Monkey 256
Mood 457
Morris water maze 409
Motivation 267
Motor deficiencies 186
Mouse 75
Mu 195
mu 347
Muscarinic receptor antagonist 409
Muscarinic receptors 142, 491
Muscimol hydrobromide 244
Naloxone 418
Naltrexone 418
Naltrindole 177, 442
NBQX 49
Negative reinforcement 457
Neuropeptice Y 267
Neuropeptide receptors 347
Nicotine 209, 256, 341, 418
Nicotine ABT-418 483
Nicotinic acetylcholine receptors (nAChRs) 256

NMDA 49
Non-competitive NMDA antagonists 67
Non-opioid analgesia 21
Norepinephrine 303
Nucleus accumbens 156, 333
Object recognition 463
8-OH-DPAT 81
Ondansetron 280, 409
Operant behaviour 213
Opiate antagonist 418
Opiate receptor 195
Opioid analgesia 21
Opioid receptors 347, 347
δ-Opioid receptors 400
Opioids 186, 470
Oral 1
Oral intake 341
Oscillator slowing 249
Oxiracetam 463
Panic 57
Pavlovian conditioning 475
pCPA 376
Penile erections 376
Pentobarbital 186
Phencyclidine 156, 203
Physostigmine 376, 409
Pigeons 303
Place preference conditioning δ-opioid receptors 442
Placebo 109
Pramiracetam 463
Predator assessment 57
Prepulse 433
Prepulse inhibition 117
Primate 150
Procaine 296
Psychomotor performance 169
Quantitative trait loci 28
Radial arm maze 426
Rat 81, 134, 203, 213, 249, 365, 376
Rats 93, 267, 392, 426, 491
RB 101 400
5-HT_{2A2C}receptor 384
5-HT_{1A}receptor 384
5-HT_3receptor antagonist 409
5-HT_{1A}receptors 356
μReceptors 470
κReceptors 470
Recombinant inbred strains 28
Reinforcement 28, 418
Reinforcer efficacy 267
Reinforcing efficacy 296
Reward 28, 195
Rhesus monkey 296
Rhesus monkeys 1
Ritanserin 249
Rodent model 128
RS 26026-197 384
Saccharin 1
Saccharin intake 177, 227
SCH 39166 227
Schizophrenia 67, 433
Scopolamine 142, 280, 491
Self-administration 1, 10, 42, 93, 296, 341, 442
Self-report 289
Sensitization 28, 117, 475
Sensorimotor 433
Serotonin 303, 409, 491
Serotonin (5-HT) 356
Serotonin$_{1A}$ agonist 81
Short-term memory 463
Sleep 237
Slow wave sleep 449
Smoking 209, 289, 418
Social recognition 463
Social withdrawal 67
Spatial memory/navigation 409
Spatial navigation task 203
Startle 433
State 272
State dependence 272
Stimulant 81
Stress-induced analgesia 21
Subjective effects 42
Sucrose 341
Sucrose intake 227
Swiss-Webster mouse 57
Talipexole 369
Temperature 356
Tertatolol 376
Tetracyclic antidepressants 491
Theta rhythm 244
Timing 213
Tobacco withdrawal 289, 418
Tolerance 28, 134
Triazolam 237
Triazolobenzodiazepine 169
U-50,488 392
(+)-UH232 93
Visual stimuli 117
Vogel procedure 186
Withdrawal 457
Withdrawal and rebound phenomena 109
Yawning 376
Yohimbine 384